
				Section 1
	1.	<u> </u>		
FOR	MATION REPORT	NFORMA	TION REP	ORT
	CENTRAL INTELLIG	ENCE AGENCY		
his materia 8, U.S.C. Se	l contains information affecting the National Defense of the	United States within the	meaning of the Espionage l thorized person is prohibite	Laws, Title ed by law.
	S-E-C-R Nofori	-E-T	PROCESSIN	
JNTRY	Czechoslovakia	REPORT		
JECT	Military Underground Fuel Store	DATE DISTR.	18 March 1957	
	in Hnevice	NO. PAGES	1	25 X 1
		REQUIREMENT NO.	RD	
TE OF		REFERENCES		25 X 1
5. CE &			<i>;</i>	apparent to the second
E ACQ.	SOURCE EVALUATIONS ARE DEFINITIVE.	PPRAISAL OF CONTER	NT IS TENTATIVE.	
1.	(N50-27, E14-22). The store was during the Second World War. In 19400 civilian workers started work the store. The area that is surround in the north-south direction; three-line spur was constructed be	originally built 950 a military 1 on reconstruction ounded by a fence the width is un tween the Hnevic	by the Germans abor unit and abou n and enlargement e is about 2.300 n known e railroad station	of meters A
	(N50-27, E14-22). The store was during the Second World War. In 19400 civilian workers started work the store. The area that is surround in the north-south direction;	originally built 950 a military 1: on reconstruction ounded by a fence the width is untween the Hnevice of filled with raut 200 civilian may have been emenduty in the he entrances are weekly import o	by the Germans abor unit and abou n and enlargement e is about 2.300 m known e railroad station ilroad tank cars. workers employed of ployed as storage area of the store; guarded by unifor f fuel into the st	of meters A 25X n and 25X on the personnel. ; these rmed tore
2.	(N50-27, E14-22). The store was a during the Second World War. In 19400 civilian workers started work the store. The area that is surroung in the north-south direction; three-line spur was constructed be the fuel store; the spur tracks ar In April 1956 there were still aboronstruction; some of the workers of the workers are the were also about 100 soldiers were quartered inside the area. The plant guards (Zavodni straz). The	originally built 950 a military 1: on reconstruction the width is untween the Hnevice filled with raut 200 civilian may have been eman duty in the he entrances are weekly import onk cars in 1955.	by the Germans abor unit and abou n and enlargement e is about 2,300 n known e railroad station ilroad tank cars. workers employed o ployed as storage area of the store; guarded by unifor f fuel into the st	of meters A 25X on the personnel.; these rmed tore
	(N50-27, E14-22). The store was a during the Second World War. In 19400 civilian workers started work the store. The area that is surroung in the north-south direction; three-line spur was constructed be the fuel store; the spur tracks ar In April 1956 there were still aborconstruction; some of the workers. There were also about 100 soldiers were quartered inside the area. The plant guards (Zavodni straz). The was between 50 and 200 railroad ta	originally built 950 a military 1: on reconstruction unded by a fence the width is untween the Hnevice filled with raut 200 civilian may have been empn duty in the he entrances are weekly import onk cars in 1955. he fuel store is ketch is as follows.	by the Germans abor unit and abou n and enlargement e is about 2,300 n known e railroad station ilroad tank cars. workers employed o ployed as storage area of the store; guarded by unifor f fuel into the st	of meters A 25X on the personnel.; these rmed tore
	(N50-27, E14-22). The store was during the Second World War. In 19400 civilian workers started work the store. The area that is surroung in the north-south direction; three-line spur was constructed be the fuel store; the spur tracks ar In April 1956 there were still aboronstruction; some of the workers. There were also about 100 soldiers were quartered inside the area. The plant guards (Zavodni straz). The was between 50 and 200 railroad ta A sketch showing the location of the second strate of the second st	originally built 950 a military 1500 n reconstruction reconstruction the width is untween the Hinevice filled with raut 200 civilian may have been em no duty in the weekly import onk cars in 1955. The fuel store is ketch is as followire net.	by the Germans abor unit and abou n and enlargement e is about 2,300 n known e railroad station ilroad tank cars. workers employed o ployed as storage area of the store; guarded by unifor f fuel into the st	of neters A 25X n and 25X on the personnel. ; these
	(N50-27, E14-22). The store was during the Second World War. In 19400 civilian workers started work the store. The area that is surroung in the north-south direction; three-line spur was constructed be the fuel store; the spur tracks ar In April 1956 there were still aborconstruction; some of the workers. There were also about 100 soldiers were quartered inside the area. The plant guards (Zavodni straz). The was between 50 and 200 railroad ta A sketch showing the location of the legend for the spoint 1. Fence, 2.5 meters high,	originally built 950 a military 1500 n reconstruction reconstruction the width is untween the Hnevice filled with raut 200 civilian may have been em no duty in the weekly import onk cars in 1955. The fuel store is ketch is as followire net.	by the Germans abor unit and abou n and enlargement e is about 2,300 n known e railroad station ilroad tank cars. workers employed o ployed as storage area of the store; guarded by unifor f fuel into the st	of meters A 25X on the personnel.; these rmed tore
	(N50-27, E14-22). The store was during the Second World War. In 19400 civilian workers started work the store. The area that is surroung in the north-south direction; three-line spur was constructed be the fuel store; the spur tracks ar In April 1956 there were still aboronstruction; some of the workers. There were also about 100 soldiers were quartered inside the area. The plant guards (Zavodni straz). The was between 50 and 200 railroad ta A sketch showing the location of the Second Point 1. Fence, 2.5 meters high, Point 2. Entrances into the fuel	originally built 950 a military 1: on reconstruction ounded by a fence the width is untween the Hnevice of filled with raut 200 civilian may have been emportant on the entrances are weekly import on cars in 1955. The fuel store is ketch is as followire net. In the forest. bly quarters; ca	by the Germans abor unit and about and enlargement e is about 2.300 m known e railroad station ilroad tank cars. workers employed a storage area of the store; guarded by unifor f fuel into the stavailable ows:	of meters A 25X on the personnel.; these rmed tore 25)
	(N50-27, E14-22). The store was during the Second World War. In 19 400 civilian workers started work the store. The area that is surriong in the north-south direction; three-line spur was constructed be the fuel store; the spur tracks ar In April 1956 there were still aborconstruction; some of the workers ar There were also about 100 soldiers were quartered inside the area. The plant guards (Zavodni straz). The was between 50 and 200 railroad ta A sketch showing the location of the legend for the second 1. Fence, 2.5 meters high, Point 2. Entrances into the fuel Point 3. Railroad spur; continues Point 4. Surface buildings, proba	originally built 950 a military 1: on reconstruction ounded by a fence the width is untween the Hnevice of filled with raut 200 civilian may have been emportant on the entrances are weekly import on cars in 1955. The fuel store is ketch is as followire net. In the forest. bly quarters; ca	by the Germans abor unit and about and enlargement e is about 2.300 m known e railroad station ilroad tank cars. workers employed a storage area of the store; guarded by unifor f fuel into the stavailable ows:	of meters A 25X on the personnel.; these rmed tore
	(N50-27, E14-22). The store was during the Second World War. In 19 400 civilian workers started work the store. The area that is surriong in the north-south direction; three-line spur was constructed be the fuel store; the spur tracks ar In April 1956 there were still aborconstruction; some of the workers ar There were also about 100 soldiers were quartered inside the area. The plant guards (Zavodni straz). The was between 50 and 200 railroad ta A sketch showing the location of the legend for the second 1. Fence, 2.5 meters high, Point 2. Entrances into the fuel Point 3. Railroad spur; continues Point 4. Surface buildings, proba	originally built 950 a military 1: on reconstruction ounded by a fence the width is untween the Hnevice of filled with raut 200 civilian may have been emportant on the entrances are weekly import on cars in 1955. The fuel store is ketch is as followire net. In the forest. bly quarters; ca	by the Germans abor unit and about and enlargement e is about 2.300 m known e railroad station ilroad tank cars. workers employed a storage area of the store; guarded by unifor f fuel into the stavailable ows:	of meters A 25X on the personnel.; these rmed tore 25)
	(N50-27, E14-22). The store was during the Second World War. In 19 400 civilian workers started work the store. The area that is surriong in the north-south direction; three-line spur was constructed be the fuel store; the spur tracks ar In April 1956 there were still aborconstruction; some of the workers ar There were also about 100 soldiers were quartered inside the area. The plant guards (Zavodni straz). The was between 50 and 200 railroad ta A sketch showing the location of the legend for the second 1. Fence, 2.5 meters high, Point 2. Entrances into the fuel Point 3. Railroad spur; continues Point 4. Surface buildings, proba	originally built 950 a military 1: on reconstruction ounded by a fence the width is untween the Hnevice of filled with raut 200 civilian may have been emportant on the entrances are weekly import on cars in 1955. The fuel store is ketch is as followire net. In the forest. bly quarters; ca	by the Germans abor unit and about and enlargement e is about 2.300 m known e railroad station ilroad tank cars. workers employed a storage area of the store; guarded by unifor f fuel into the stavailable ows:	of meters A 25X n and 25X on the personnel. ; these rmed tore 25)
	(N50-27, E14-22). The store was during the Second World War. In 19 400 civilian workers started work the store. The area that is surriong in the north-south direction; three-line spur was constructed be the fuel store; the spur tracks ar In April 1956 there were still aborconstruction; some of the workers ar There were also about 100 soldiers were quartered inside the area. The plant guards (Zavodni straz). The was between 50 and 200 railroad ta A sketch showing the location of the legend for the second 1. Fence, 2.5 meters high, Point 2. Entrances into the fuel Point 3. Railroad spur; continues Point 4. Surface buildings, proba	originally built 950 a military 1: on reconstruction ounded by a fence the width is untween the Hnevice of filled with raut 200 civilian may have been emportant on the entrances are weekly import on cars in 1955. The fuel store is ketch is as followire net. In the forest. bly quarters; ca	by the Germans abor unit and about and enlargement e is about 2.300 m known e railroad station ilroad tank cars. workers employed a storage area of the store; guarded by unifor f fuel into the stavailable ows:	of meters A 25X n and 25X on the personnel. ; these rmed tore 25)
	(N50-27, E14-22). The store was during the Second World War. In 19 400 civilian workers started work the store. The area that is surriong in the north-south direction; three-line spur was constructed be the fuel store; the spur tracks ar In April 1956 there were still aborconstruction; some of the workers ar There were also about 100 soldiers were quartered inside the area. The plant guards (Zavodni straz). The was between 50 and 200 railroad ta A sketch showing the location of the legend for the second 1. Fence, 2.5 meters high, Point 2. Entrances into the fuel Point 3. Railroad spur; continues Point 4. Surface buildings, proba	originally built 950 a military 1: on reconstruction ounded by a fence the width is untween the Hnevice of filled with raut 200 civilian may have been emportant on the entrances are weekly import on cars in 1955. The fuel store is ketch is as followire net. In the forest. bly quarters; ca	by the Germans abor unit and about and enlargement e is about 2.300 m known e railroad station ilroad tank cars. workers employed a storage area of the store; guarded by unifor f fuel into the stavailable ows:	of meters A 25X on the personnel.; these rmed tore 25)
	(N50-27, E14-22). The store was during the Second World War. In 19 400 civilian workers started work the store. The area that is surriong in the north-south direction; three-line spur was constructed be the fuel store; the spur tracks ar In April 1956 there were still aborconstruction; some of the workers ar There were also about 100 soldiers were quartered inside the area. The plant guards (Zavodni straz). The was between 50 and 200 railroad ta A sketch showing the location of the legend for the second 1. Fence, 2.5 meters high, Point 2. Entrances into the fuel Point 3. Railroad spur; continues Point 4. Surface buildings, proba	originally built 950 a military 1500 a military 1500 reconstruction unded by a fence the width is untween the Hnevice filled with raut 200 civilian may have been emmay have been emmay have in the he entrances are weekly import onk cars in 1955. The fuel store is ketch is as followire net. In the forest. bly quarters; case.	by the Germans abor unit and about and enlargement e is about 2.300 m known e railroad station ilroad tank cars. workers employed a storage area of the store; guarded by unifor f fuel into the stavailable ows:	of meters A 25X n and 25X on the personnel ; these rmed tore 25)

Sanitized Copy Approved for Release 2010/02/23: CIA-RDP80T00246A032700360001-9



25X1

